

Delineator (S) type Future (with safety pin)

BAST tested

Delineator (S) 40x40 mm and safety pin.

302.605021.00.01	Delineator Future S with film class RA1 double-sided right/left
302.605022.00.01	Delineator Future S with film class RA1 single-sided right or left
302.605021.00.02	Delineator Future S with film class RA2-B double-sided right/left
302.605022.00.02	Delineator Future S with film class RA2-B single-sided right or left

packaging unit delineators: Euro-pallet = 75 pieces

Accessories:

900.605020.00.01	Replacement safety pin for Future S delineator for fixing the delineator in WEMAS base plate (pic. 1)
900.000031.00.00	Replacement split tube

packaging unit accessories: each 10 pieces



safety pin (pic. 1)



Future lamp (pic. 2)



MB-TL base plate (pic. 3)

BAST tested

with base plates and lamps:
WEMAS MB TL 92 (pic. 3) and
delineator lamp type TL Future (pic. 2)
BAST indication number: 99 2K 03/LU

Delineator (D) type Future (with universal swivel adapter)

BAST tested

Delineator (D) with removable swivel adapter W 03

302.605031.00.01	Delineator universal D with film class RA1 double-sided right/left
302.605032.00.01	Delineator universal D with film class RA1 single-sided right or left
302.605031.00.02	Delineator universal D with film class RA2-B double-sided right/left
302.605032.00.02	Delineator universal D with film class RA2-B single-sided right or left

packaging unit delineators: Euro-pallet = 75 pieces

Accessories:

302.605000.00.02	Swivel adapter inner part for tube (pic. 1)
302.605000.00.01	Swivel adapter outer part for base plate (pic. 2)
900.000031.00.00	Replacement split tube for delineator type 40

packaging unit accessories: each 10 pieces



Lamp 4000 (pic. 3)



TL 90/91 (pic. 4)



Future Lamp (pic. 5)



MB-TL base plate (pic. 6)

BAST tested

with base plates and lamps:
MB TL 92 (pic. 6) with delineator lamp type TL
Future (pic. 5) and WEMAS TL 90/91 (pic. 4) with lamp
type 4000 (pic. 3),
BAST indication number: 02 2K 07, 02 2K 08, 02 2K 15

Delineator (B) type 60



Base plate TL 90/91 (pic. 1)

Delineator (B) 60x60 mm with connecting piece, reinforcement and aglet for protection.

302.605041.00.01	Delineator 60 (B) with film class RA1 double-sided right/left
302.605042.00.01	Delineator 60 (B) with film class RA1 single-sided left or right
302.605042.00.02	Delineator 60 (B) with film class RA2-B single-sided left or right
302.605041.00.02	Delineator 60 (B) with film class RA2-B double-sided right/left
packaging unit: EUR-pallet = 60 pieces	

BAST tested

with base plate
WEMAS TL 90/91 (pic. 1)


BAST identification number: 94 2K 012

WEMAS direction sign delineator

NEW



example of use



Example of use of rule plan B 1 / 7

Delineator with traffic sign (VZ) 222-20 consisting of delineator with traffic sign from HDPE with sign no. 222-20.

According to RSA part B no. 2.2.3 and RSA part B Nr. 2.5.1.

302.605032.90.01	Delineator with traffic sign film class RA1 - single-sided right
900.000012.90.02	Surcharge for delineator with sign and film RA2-B
302.605032.00.91	Traffic sign with film class RA1 right
302.605033.00.51	Delineator with film class RA1 - single-sided right sign no. 605-20
301.003010.00.00	WEMAS base plate TL erection aid type K1 according to TL-erection aid 97 for assembling signs. Weight approx. 38 kg
301.003020.00.00	WEMAS base TL erection aid Typ K2 according to TL-erection aid 97 for assembling signs. Weight approx. 55 kg (1200x400x120mm LxBxH). For highways.

Please choose between film class RA1 or RA2-B as well as film with arrow!
Standard with support for tube 40x40 mm.
Surcharge for support of swivel adapter and hinged joint.

Collapsible delineator (L1) and (L2) type 750

Collapsible delineator (L1) 750 mm high, with high quality base plate from elastomers.

Weight approx. 13 kg.

302.605081.10.11	Collapsible delineator (L1) type 750 yellow with film class RA1 double-sided right/left
302.605082.10.11	Collapsible delineator (L1) type 750 yellow with film class RA1 single-sided right or left
302.605081.10.12	Collapsible delineator (L1) Typ 750 yellow with film class RA2-B double-sided right/left
302.605082.10.12	Collapsible delineator (L1) Typ 750 yellow with film class RA2-B single-sided right or left

packaging unit: 10 pieces

Collapsible delineator (L2) 750 mm high, delineator white or yellow with black base plate from 100% recycling material. Weight approx. 11 kg.

302.605081.00.11	Collapsible delineator (L2) type 750 with film class RA1 double-sided right/left
302.605082.00.11	Collapsible delineator (L2) type 750 with film class RA1 single-sided right or left
302.605081.00.12	Collapsible delineator (L2) type 750 with film class RA2-B double-sided right/left
302.605082.00.12	Collapsible delineator (L2) type 750 with film class RA2-B single-sided right or left

packaging unit: 10 pieces



BASt tested

identification no. V5-58/08
according to TL-delineators



- especially stable through 4 rubber plugs
- easy handling
- available with standard film or film with arrow symbol
- body available in white or yellow



hinge



handle base plate

NEW



Storage and transport rack for 15 collapsible delineators with additional predection (see page 23)

WEMAS collapsible delineator type 750

WEMAS collapsible delineators are available in 2 versions. The version in yellow comprises a high quality yellow elastomers base plate as well as a yellow body. The collapsible delineator (L2)white* comprises a black base plate from recycling material. The films are high quality and reflective in class RA1 as well as RA2 B and are available in several colours red/white as well as red/yellow.

The collapsible delineator provides particularly sturdy hinges. You can handle the collapsible delineator easily through the grip on the top of the delineator as well as the grip in the base plate.

Dimensions:

Film: 750 x 187,5 mm (H x B)

Total: 1000 x 240 x 50 mm (H x B x T)

Base plate: 40 x 310 x 640 mm (H x B x T)

*also available in other colours (i.e. yellow)

Delineator type E60



pic. 1

Also available with tube 40x40



Available in several colours e.i. black

Delineator(E6) with connecting piece 60 x 60 mm for more stability in standard base plates and Ø42 mm connecting piece for lamps, without reinforcement*.
Dimensions of the film: 1000x250mm.

302.605051.00.00	Delineator type E60 with film class RA1 double-sided right/left
302.605052.00.00	Delineator type E60 with film class RA1 single-sided right or left
302.605051.00.02	Delineator type E60 with film class RA2-B double-sided right/left
302.605052.00.02	Delineator type E60 with film class RA2-B single-sided right or left
302.605050.x	Delineator type E60 with reinforcement from steel or aluminium 40x40 (pic. 1)

packaging unit: EUR-pallet = 80 pieces
 Minimum order quantity in other colours = 500 pieces

Accessories:

900.000041.00.00	Replacement reinforcement for delineator type E60 40x40mm approx. 1115 mm long
------------------	--

packaging unit accessories: each 10 pieces

* Surcharge for support tube

Reversible delineator type W60



stacked delineators now **without** space between

- Now 22 mm protection board for the film
- 60 mm frame around the body
- Also stackable with the old version
- stable connecting piece on both sides approx. 8,5 mm

Reversible delineator type W60 with 60 x 60 connecting piece (without reinforcement).
 The unique advantage of the reversible delineator is provided by the 60 x 60 mm connecting piece. The reversible delineator which is laminated one side can also be used as a left or right-hand signal by simply turning it around.

302.606051.00.00	Delineator W 60 with film class RA1 double-sided right/left
302.606052.00.00	Delineator W 60 with film class RA1 single-sided right or left
302.606053.00.00	Delineator W 60 with film class RA2-B double-sided right/left
302.606054.00.00	Delineator W 60 with film class RA2-B single-sided right or left

packaging unit: 60 pieces
 Minimum order quantity in other colours = 500 pieces

Accessories:

900.000045.00.00	Replacement reinforcement for delineator type 60 W 40x40mm approx. 1345 mm long
------------------	---

packaging unit accessories: each 10 pieces

* Surcharge for support tube



Available in several colours like orange, blue, green, yellow or red

Delineator type E 40

Delineator (E40) with connecting piece 40 x 40 mm and reinforcement.
Film dimensions 1000x250mm. Connecting piece for lamps (40x40 mm) with drill.

302.605011.00.00	Delineator E40 with film class RA1 double-sided right/left
302.605012.00.00	Delineator E40 with film class RA1 single-sided right or left
302.605011.01.02	Delineator E40 with film class RA2-B double-sided right/left
302.605012.01.02	Delineator E40 with film class RA2-B single-sided right or left

packaging unit: EUR pallet = 75 pieces



Reversible delineator type W40

Reversible delineator double-sided with connecting piece 40 x 40 and reinforcement.
The reversible delineator which is laminated one side can also be used as a left or right-hand signal by simply turning it around.

302.605155.00.01	Delineator type W40 with film class RA1 double-sided right/left
302.605155.01.01	Delineator type W40 with film class RA1 single-sided right or left
302.605155.02.01	Delineator type W40 with film class RA2-B double-sided right/left
302.605155.03.01	Delineator type W40 with film class RA2-B single-sided right or left

packaging unit: EUR-pallet = 75 pieces
 Minimum order quantity in other colours = 500 pieces



Delineator type Benelux huge



Delineator, film dimensions 1100 x 300 mm, with connecting piece 60 x 60 mm and reinforcement (40x40mm).

302.605121.00.01	Type Benelux huge with film class RA1 double-sided right/left
302.605122.00.01	Type Benelux huge with film class RA1 single-sided right or left
302.605121.00.02	Type Benelux huge with film class RA2-B double-sided right/left
302.605122.00.02	Type Benelux huge with film class RA2-B single-sided right or left

packaging unit: pallet = 48 pieces

Delineator type Benelux - small



Delineator (small) film dimensions 1000 x 70 mm, with connecting piece 40 x 40 mm, and reinforcement.

302.605121.70.01	Delineator (small) type Benelux with film class RA1 double-sided right/left or film with horizontal stripes
302.605122.70.01	Delineator (small) type Benelux with film class RA1 single-sided right or left or film with horizontal stripes
302.605121.70.02	Delineator (small) type Benelux with film class RA2-B double-sided right/left or film with horizontal stripes
302.605122.70.02	Delineator (small) type Benelux with film class RA2-B single-sided right or left or film with horizontal stripes


packaging unit: pallet = 200 pieces

Delineator type 500

Delineator with film 500 x 250 mm, with connecting piece 40 x 40 mm without reinforcement

302.605091.00.00	Type 500 film class RA1 double-sided right/left
302.605092.00.00	Type 500 film class RA1 single-sided right or left
302.605091.00.02	Type 500 film class RA2-B double-sided right/left
302.605092.00.02	Type 500 film class RA2-B single-sided right or left
packaging unit: 75 pieces	

Details for version with screw (used on concrete walls)
on request



Mit Verschraubung für Betonschutzwände (M20)

Warning signs for guard rails

Warning sign 500 mm, with connecting piece 40x40 mm or screw M20.

302.605102.00.01	Warning sign film class RA1 double-sided right/left	(packaging unit 200 pieces)
302.605102.00.02	Warning sign film class RA2-B double-sided right/left	(packaging unit 200 pieces)
Details for version with screw (used on concrete walls) on request		
302.605000.00.02	Swivel adapter inner section with tube (pic. 1) for warning sign	(packaging unit 100 pieces)
302.605000.00.01	Swivel adapter outer part for base plate (pic. 2)	(packaging unit 100 pieces)



pic. 1

pic. 2

Accessories for delineators

Accessories for WEMAS delineators - Name print placed in the body of the delineator, Logo printed on the film

302.000001.00.00	Cliché for delineators
302.000002.00.00	Printing costs for delineators
301.000002.00.10	Embossing plate for name printing for delineators
301.000001.00.10	Embossing costs per delineator
	Name/logo multicolour on the film



Example: Embossing onto the delineator

302.605000.00.00	Storage and transport rack stackable construction to stock of 100 delineators type Future/40 or 92 delineators type Future "D" or 76 delineators type 60 (pic. 1)
302.605001.00.01	Storage and transport rack stackable construction to stock 15 collapsible delineators (pic. 2)
302.605001.00.00	Storage and transport rack stackable construction to stock 30 collapsible delineators (as pic. 2, but twice)

packaging unit: each 1 piece



pic. 1

pic. 1

pic. 2

WEMAS safety barriers

WEMAS
TOP-PRODUCT

PARTUCULAR IDENTIFICATION OF SAFETY BARRIER FUTURE:

- Testet according to TL Absperrschranken 97
- Easy and fast handling
- Top barrier and epidermal ridge with reflective film
- Long life term through impact resistant material
- connecting pieces for warning lamps
- Other colours available on request
- By return recycling without charge
- Weight 18 kg
- Especially flexible
- Usable with WEMAS base plates
- To connect with WEMAS- connecting clip

